



Power Thunder - 0612971P - Batería Power Thunder CTX12-BS Sin Mantenimiento

Voltaje: 12V - Amperaje: 10Ah. Se suministra con ácido incluido. Batería hermética sin mantenimiento

V

AH

POLARIDAD

SALIDA GASES

L

AN

ALT

12

10

Izquierda

152

88

131

Se suministra con ´

Las baterías herméticas sin mantenimiento s&lo precisan ser llenadas con el ´ en el momento de su instalaci&n. Una vez llenada de ´ la batería, &sta se sella y ya no ser& necesario rellenar de agua o comprobar su nivel de ´ nunca m&s, adem&s de no preocuparse de los posibles escapes de ´ que puedan da&ntil;ar alguna pieza del veh&culo

Separadores AGM (Absorbed Glass Mat) que evitan para siempre la necesidad de a&ntil;adir agua a la batería;

Totalmente herméticas ya que todo el ´ es absorbido en placas especiales y por los separadores AGM

V&lvulas de regulaci&n del ´ (VRLA) a prueba de derrames

Tecnolog&a avanzada de plomo-calcio

Disponibles en versi&n precargada o seca con ´ aparte



YTX12-BS MAKE SURE THE NEGATIVE TERMINAL IS PROPERLY
TIGHTENED TO THE BATTERY. DO NOT OIL OR GREASE THE BATTERY.
REMOVE THE CAPS FROM THE BATTERY. DO NOT ATTEMPT TO RECHARGE
CHARGE WITH THE BATTERY. DO NOT ATTEMPT TO RECHARGE THE BATTERY.

POWER THUNDER
POWERSPORT BATTERIES
YTX12-BS

Super
MF

MADE IN P.R.C.
RECYCLE