



Yuasa - 0607851Y - Batería Yuasa YTZ7-V Precargada

Voltaje: 12V - Amperaje: 6,3Ah. Se suministra con ácido incluido. Batería hermética pre-cargada

V

AH

CCA

POLARIDAD

SALIDA GASES

L

AN

ALT

12

6,4

105A

Derecha

113

70

120

Esta batería se presenta totalmente sellada y precargada, lista para ser instalada y sin la necesidad de añadir ácido.

Prácticamente sin posibilidad de pérdidas de ácido

Reduce al mínimo el proceso de sulfatación

Ideal para motocicletas, ATV, motos de agua...

Ofrece un óptimo "Cold Cranking" (CCA)

NOTA: Caso de almacenaje prolongado revisar la tensión y recargar si es necesario, aconsejamos revisarlas en un plazo de 3-4 meses.



2 4 0 0 3 5 3 3
THIS BATTERY IS DESIGNED TO BE USED IN A VEHICLE. IT IS NOT TO BE USED IN OTHER APPLICATIONS.
RECHARGE IN ACCORDANCE WITH THE INSTRUCTIONS ON THE BATTERY LABEL.



VRLA

YUASA

YTZ7V

ELECTROLYTE FILLED NON-SPILLABLE

**6.3 Ah(20HR)
/ 105 CCA**

12V 6Ah/10HR

CHARGING METHOD

STD : 0.6A X 5 - 10 h
QUICK : 3A X 1 h

YUASA BATTERY



Pb



Pb

SAE **PP** >PP<